

Material Safty Data Sheet

Product

SR911

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product Name	SR911
1.2 Recommended use of the chemical and restrictions on use	
Recommended use of the product	Fire stop silicone sealant
Restrictions on use of the product	No data
1.3 Company information	
Company Name	DAEHEUNG CHEMICAL CO., LTD.
Address	52, Sandan-ro15beon-gil,Pyeongtaeksi,Gyeonggi-do
Emergency telephone number	+82-31-663-5251

2. HAZARD IDENTIFICATION

2.1 Hazard, Risk classification	Skin sensitization: Category 1
---------------------------------	--------------------------------

2.2 GHS label elements

Symbol



Signal word

Waring

Harmful Risk phrases

H317 May cause an allergic skin reaction.

Precautions

P261 Avoid breathing vapours.

Prevention

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

Corresponding

P333+P313 If skin irritation or rash occurs: Get medical advice/attention

P362+P364 Take off contaminated clothing and wash it before reuse.

Storage

Not available

Disposal

P501 Dispose of contents and container in accordance with local regulations.

Amorphous, fumed silica

Health	0
--------	---

Fire	1
------	---

Reactivity	0
------------	---

N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane

Health	3
--------	---

Fire	1
------	---

Reactivity	1
------------	---

Aluminium hydroxide

Health	0
--------	---

Fire	No data
------	---------

Reactivity	0
------------	---

Methyl Oximino Silane

Health	1
--------	---

Fire	2
------	---

Reactivity	1
------------	---

Polydimethylsiloxane

Health	1
--------	---

Fire	1
------	---

Reactivity	0
------------	---

Siloxanes and Silicones, di-Me, hydroxy-terminated

Health	1
Fire	2
Reactivity	0

3. COMPOSITION / INFORMATION ON INTEGREDIENTS

Name	Comon Name	CAS No	Contents(%)
Amorphous, fumed silica	SILICA, AMORPHOUS, FUMED, CRYSTALLINE FREE	112945-52-5	3 ~ 10
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	N-(3-Trimethoxysilylpropyl)ethylenediamine	1760-24-3	0.1 ~ 1
Aluminium hydroxide		21645-51-2	40 ~ 50
Methyl Oximino Silane	SILANE, TRIMETHOXMETHYL-	22984-54-9	1 ~ 5
Polydimethylsiloxane	DIMETHYLPOLYSILOXANE/WATER EMULSIONS	63148-62-9	10 ~ 20
Siloxanes and Silicones, di-Me, hydroxy-terminated	DIMETHYL POLYSILOXANE	70131-67-8	20 ~ 30

4. FIRST AID MEASURES

4.1 Eye contact	Get emergency medical attention. Rinse skin and eyes immediately with plenty of water for at least 20 minutes when in contact with the material.
4.2 In case of skin contact	If skin irritation or rash occurs, seek medical advice and advice.오. Wash contaminated clothing before reuse. In the case of hot materials, immerse or wash affected areas in a large amount of cold water to remove heat Get emergency medical attention. Remove contaminated clothing and shoes and isolate contaminated areas. Rinse skin and eyes immediately with plenty of water for at least 20 minutes when in contact with the material. Prevent spread of contamination on mild skin contact
4.3 Inhalation	Move to a place with fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Please warm and stabilize.
4.4 Ingestion	Get emergency medical attention.
4.5 Other precautions	Have the health care worker know about the material and take protective measures

5. FIRE FIGHTING MEASURES

5.1. Extinguishing media	Suitable extinguishing media Use alcohol foam, carbon dioxide or water spray for digestion related to this material. Use dry sand or earth for digestion.
5.2. Special hazards arising from the substance or mixture	Hazardous combustion products Container may explode on heating Some are burned but not easily ignited Non-flammable, the substance itself is not burned but decomposes on heating and may cause corrosive / toxic fumes May cause irritating, corrosive and toxic gases in case of fire
5.3. Protective equipment and precautions for fire-fighting	Protective equipment and precautions for fire-fighting Be aware that it may be melted and transported.

	In case of tank fire, extinguish at maximum distance or use unmanned fire fighting equipment
Protective equipment and precautions for fire-fighting	<p>In the event of a large fire in a tank fire, use unmanned fire fighting equipment and allow it to retreat if it is not possible</p> <p>Rescuers should wear appropriate protective equipment.</p> <p>Extinguish the area and maintain safety distance.</p> <p>Some can be transported at high temperatures</p> <p>Leaky water may cause contamination.</p> <p>Contact may cause skin and eye burns.</p> <p>Drill ditches for the disposal of digestive waters to prevent them from being scattered.</p> <p>Move container from fire area if it is not hazardous.</p> <p>Cool containers with large amounts of water even after the fire has extinguished.</p> <p>In the event of a tank fire, if there is a high tone in the pressure relief device or if the tank is discolored, immediately withdraw it</p> <p>Tanks Fires in a fire.</p>

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, protective equipment and emergency procedures	<p>Remove all ignition sources as very fine particles may cause fire or explosion.</p> <p>Wipe off any spills immediately and follow all protective precautions.</p> <p>Remove all ignition sources.</p> <p>Stop the leak if it is not dangerous.</p> <p>Do not touch a damaged container or spill without adequate protection.</p> <p>Cover with plastic sheet to prevent diffusion</p> <p>Note the substances and conditions to avoid</p> <p>Prevent entry into waterways, sewers, basements, and confined spaces.</p>
6.2. Environmental precautions	Absorb spillage with inert materials (eg dry sand or earth) and place in a chemical waste container.
6.3. Methods and material for containment and cleaning up	Absorb liquid and rinse contaminated area with detergent and water..

7. HANDLING AND STORAGE

7.1. Precautions for safe handling	<p>Avoid inhalation.(Dust, fume, gas, mist, steam, spray)</p> <p>Do not carry contaminated clothing out of the workplace.</p> <p>Follow all MSDS / label precautions as product residues may remain after emptying containers.</p> <p>Avoid prolonged or repeated skin contact.</p> <p>Note the substances and conditions to avoid</p> <p>Refer to engineering controls and personal protective equipment.</p>
7.2 Safe storage	The empty drum should be completely drained, properly blocked and immediately returned to the drum regulator or properly positioned.

8. EXPOSURECONTROLS & PERSONAL PROTECTION

8.1. Exposure standards for chemicals, biological exposure standards, etc.

Domestic regulation	
Amorphous, fumed silica	No data
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	No data
Aluminium hydroxide	No data
Methyl Oximino Silane	No data
Polydimethylsiloxane	No data
Siloxanes and Silicones, di-Me, hydroxy-terminated	No data
ACGIH regulation	
Amorphous, fumed silica	No data
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	No data
Aluminium hydroxide	No data
Methyl Oximino Silane	No data
Polydimethylsiloxane	No data

terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
	Biological exposure standard	
	Amorphous, fumed silica	No data
	N-(2-Aminoethyl)-3-	No data
aminopropyltrimethoxysilane	Aluminium hydroxide	No data
	Methyl Oximino Silane	No data
	Polydimethylsiloxane	No data
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
8.2. process management		national air-state using air standard
8.3 Personal protective equipment		
Respiratory protection		Wear a respirator that has been approved by the Korean Occupational Safety and Health Administration in accordance with the physicochemical properties of the substance being exposed.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Appearance	
Physical Form	Paste
Color	White, Gray. Black. ETC
9.2 Odor	Oxime
9.3 Odor threshold	No data
9.4 pH	No data
9.5 Melting point / freezing point	No data
9.6 Boiling point	No data
9.7 Flash point	No data
9.8 Evaporation Rate	No data
9.9 Flammability (solid, gas)	No data
9.10 Upper/lower flammability or explosive limits	No data
9.11 Vapor Pressure	No data
9.12 Solubility	No data
9.13 Vapor Density	No data
9.14 Specific gravity	1.35 ~ 1.40
9.15 N-octanol/water partition coefficient	No data
9.16 Autoignition temperature	No data
9.17 Decomposition Temperature	No data
9.18 Viscosity	Paste
9.19 Molecular weight	No data

10. STABILITY AND REACTIVITY

10.1 Possibility of chemical stability and adverse reaction	
Amorphous, fumed silica	Container may explode on heating
Amorphous, fumed silica	Some are burned but not easily ignited
Amorphous, fumed silica	Non-flammable, the substance itself is not burned but decomposes on heating and may cause corrosive / toxic fumes
Amorphous, fumed silica	May cause irritating, corrosive and toxic gases in case of fire
N-(2-Aminoethyl)-3-	No data
aminopropyltrimethoxysilane	No data
Aluminium hydroxide	No data
Methyl Oximino Silane	Polymerization: not polymerized Reactivity: Contact with water or moist air may form flammable and / or toxic gases and vapors.
Polydimethylsiloxane	Stable at normal temperature and pressure
Polydimethylsiloxane	Container may explode on heating
Polydimethylsiloxane	Some are burned but not easily ignited
Polydimethylsiloxane	May cause irritation and poisonous gas in case of fire
Polydimethylsiloxane	Inhalation of the substance may be harmful
Polydimethylsiloxane	Some fluids may cause dizziness, suffocation-inducing vapors
Siloxanes and Silicones, di-Me, hydroxy-	Stable at normal temperature and pressure
terminated	

terminated	Siloxanes and Silicones, di-Me, hydroxy-	Container may explode on heating
terminated	Siloxanes and Silicones, di-Me, hydroxy-	Some are burned but not easily ignited
terminated	Siloxanes and Silicones, di-Me, hydroxy-	May cause irritation and poisonous gas in case of fire
terminated	Siloxanes and Silicones, di-Me, hydroxy-	Inhalation of the substance may be harmful
terminated	Siloxanes and Silicones, di-Me, hydroxy-	Some fluids may cause dizziness, suffocation-inducing vapors
10.2 Conditions to avoid		
aminopropyltrimethoxysilane	Amorphous, fumed silica	Heat source, spark, flame, etc.
	N-(2-Aminoethyl)-3-	No data
	Aluminium hydroxide	No data
	Methyl Oximino Silane	Avoid heat, flames, sparks and other sources of ignition.
	Polydimethylsiloxane	Containers may rupture or explode if exposed to heat. Keep away from waterworks and
terminated	Siloxanes and Silicones, di-Me, hydroxy-	Heat source, spark, flame, etc.
	Siloxanes and Silicones, di-Me, hydroxy-	Heat source, spark, flame, etc.
10.3 Substances to avoid		
aminopropyltrimethoxysilane	Amorphous, fumed silica	Combustible materials, reducing materials
	N-(2-Aminoethyl)-3-	No data
	Aluminium hydroxide	No data
	Methyl Oximino Silane	Oxidant
	Polydimethylsiloxane	Combustible material
terminated	Polydimethylsiloxane	Irritant, toxic gas
	Siloxanes and Silicones, di-Me, hydroxy-	Combustible material
terminated	Siloxanes and Silicones, di-Me, hydroxy-	Irritant, toxic gas
10.4 Hazardous materials generated during decomposition		
aminopropyltrimethoxysilane	Amorphous, fumed silica	Corrosive / toxic fume
	Amorphous, fumed silica	Irritating, corrosive, toxic gas
	N-(2-Aminoethyl)-3-	No data
	Aluminium hydroxide	During burning, pyrolysis or combustion can produce irritating and highly toxic gases.
	Methyl Oximino Silane	No data
terminated	Polydimethylsiloxane	No data
	Siloxanes and Silicones, di-Me, hydroxy-	No data

11. TOXICOLOGICAL INFORMATION

11.1. Information about possible routes of exposure		
aminopropyltrimethoxysilane	Amorphous, fumed silica	Exposure to respiration can cause pneumoconiosis in large quantities of inhalation May cause nausea, vomiting and diarrhea by stimulating the stomach. Exposed to skin contact Exposed by eye contact
	N-(2-Aminoethyl)-3-	Respiratory tract burns, allergic reactions Mucosa burn Skin burns, allergic reactions Snow burn
	Aluminium hydroxide	No data
	Methyl Oximino Silane	No data
	Polydimethylsiloxane	Can absorb body by inhalation
terminated	Polydimethylsiloxane	Can be absorbed by inhalation and extinguisher
	Polydimethylsiloxane	Through skin, digestive system, can absorb body by inhalation of aerosol
terminated	Polydimethylsiloxane	Absorption of body by inhalation of steam
	Polydimethylsiloxane	Can be absorbed by inhalation, skin and digestive system
terminated	Siloxanes and Silicones, di-Me, hydroxy-	Can absorb body by inhalation
terminated	Siloxanes and Silicones, di-Me, hydroxy-	Can be absorbed by inhalation and extinguisher
terminated	Siloxanes and Silicones, di-Me, hydroxy-	Through skin, digestive system, can absorb body by inhalation of aerosol

terminated	Siloxanes and Silicones, di-Me, hydroxy-	Absorption of body by inhalation of steam
terminated	Siloxanes and Silicones, di-Me, hydroxy-	Can be absorbed by inhalation, skin and digestive system
11.2 Health hazard information		
Acute toxicity		
Oral		
aminopropyltrimethoxysilane	Amorphous, fumed silica	LD50 > 3100 mg/kg Rat
	N-(2-Aminoethyl)-3-	LD50 2400 mg/kg Rat
	Aluminium hydroxide	LD50 > 2000 mg/kg Rat (female, No deaths (OECD TG 423, GLP))
	Methyl Oximino Silane	(No data)
	Polydimethylsiloxane	LD50 > 17000 mg/kg Rat
terminated	Siloxanes and Silicones, di-Me, hydroxy-	LD50 > 64 mg/kg Rat (Labor Department 3)
Percutaneous		
aminopropyltrimethoxysilane	Amorphous, fumed silica	No data
	N-(2-Aminoethyl)-3-	LD50 16000 mg/kg Rabbit
	Aluminium hydroxide	No data
	Methyl Oximino Silane	(No data)
	Polydimethylsiloxane	LD50 > 2000 mg/kg Rabbit
terminated	Siloxanes and Silicones, di-Me, hydroxy-	LD50 > 16 mg/kg Rabbit (Labor Department 1)
Inhalation		
aminopropyltrimethoxysilane	Amorphous, fumed silica	No data
	N-(2-Aminoethyl)-3-	No data
	Aluminium hydroxide	Dust LC50 7.6 mg/l 1 hr Rat (male (OECD TG 403))
	Methyl Oximino Silane	(No data)
	Polydimethylsiloxane	No data
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
Skin corrosive or irritant		
aminopropyltrimethoxysilane	Amorphous, fumed silica	No skin irritation reported
	N-(2-Aminoethyl)-3-	No irritation: 24, 48, 72 hours after erythema score less than 1.5
	Aluminium hydroxide	No signs of irritation (OECD TG 404)
	Methyl Oximino Silane	No data
	Polydimethylsiloxane	No data
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
Severe eye damage or irritation		
aminopropyltrimethoxysilane	Amorphous, fumed silica	No eye irritation reported
	N-(2-Aminoethyl)-3-	With stimulation: average observed (24 + 48 + 72 hrs) chemosis 3.0, enanthema 2.5, congestion 1.0, opacity 2.0
	Aluminium hydroxide	Severe eye damage / irritation test using rabbit, no irritant(OECD TG 405 ,GLP)
	Methyl Oximino Silane	No data
	Polydimethylsiloxane	Eye Standard dose test Rabbit amount: 100 mg / 1H: Reaction: Mild (light stimulus)
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
Respiratory sensitization		
aminopropyltrimethoxysilane	Amorphous, fumed silica	No data
	N-(2-Aminoethyl)-3-	No data
	Aluminium hydroxide	No data
	Methyl Oximino Silane	No data
	Polydimethylsiloxane	No data
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
Skin sensitization		
aminopropyltrimethoxysilane	Amorphous, fumed silica	No skin sensitization reported in humans
	N-(2-Aminoethyl)-3-	Sensitive
	Aluminium hydroxide	Skin irritability test results using guinea pig (water), non-irritant (OECD TG 406 ,GLP)
	Methyl Oximino Silane	No data
	Polydimethylsiloxane	No data
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
Carcinogenicity		
Industrial Safety and Health Act		
	Amorphous, fumed silica	No data

aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-	No data
	Aluminium hydroxide	No data
	Methyl Oximino Silane	No data
	Polydimethylsiloxane	No data
	Siloxanes and Silicones, di-Me, hydroxy-	No data
terminated		
aminopropyltrimethoxysilane	Notice of Ministry of Employment and Labor	
	Amorphous, fumed silica	No data
	N-(2-Aminoethyl)-3-	No data
	Aluminium hydroxide	No data
	Methyl Oximino Silane	No data
terminated	Polydimethylsiloxane	No data
	Siloxanes and Silicones, di-Me, hydroxy-	No data
	IARC	
	Amorphous, fumed silica	Group 3 (Silica, amorphous)
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-	No data
	Aluminium hydroxide	No data
	Methyl Oximino Silane	No data
	Polydimethylsiloxane	No data
	Siloxanes and Silicones, di-Me, hydroxy-	No data
terminated		
aminopropyltrimethoxysilane	OSHA	
	Amorphous, fumed silica	No data
	N-(2-Aminoethyl)-3-	No data
	Aluminium hydroxide	No data
	Methyl Oximino Silane	No data
terminated	Polydimethylsiloxane	No data
	Siloxanes and Silicones, di-Me, hydroxy-	No data
	ACGIH	
	Amorphous, fumed silica	No data
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-	No data
	Aluminium hydroxide	No data
	Methyl Oximino Silane	No data
	Polydimethylsiloxane	No data
	Siloxanes and Silicones, di-Me, hydroxy-	No data
terminated		
aminopropyltrimethoxysilane	NTP	
	Amorphous, fumed silica	No data
	N-(2-Aminoethyl)-3-	No data
	Aluminium hydroxide	No data
	Methyl Oximino Silane	No data
terminated	Polydimethylsiloxane	No data
	Siloxanes and Silicones, di-Me, hydroxy-	No data
	EU CLP	
	Amorphous, fumed silica	No data
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-	No data
	Aluminium hydroxide	No data
	Methyl Oximino Silane	No data
	Polydimethylsiloxane	No data
	Siloxanes and Silicones, di-Me, hydroxy-	No data
terminated		
aminopropyltrimethoxysilane	Germ cell mutagenicity	
	Amorphous, fumed silica	In vivo / In vitro tests There was no evidence that this substance caused mutations In any of the tests. – Genotoxicity effects do not occur when exposed to this material.
	N-(2-Aminoethyl)-3-	Return mutation test: negative concentration> 5000 ug / plate
		HGPRT assay: negative CHO cells: S9-: 0.1–4.0 mg / ml, S9 +: 2.0–5.0 mg / ml
		Sister exchange chromosomal aberration test: negative, CHO cells: 1.5 to 4.0 mg / ml without S9 activation; 1.0 to 3.5 mg / ml with S9 activation
		Micronucleus Test: Negative Mouse (Swiss webster): 87.5, 175, and 280 mg / kg
	Aluminium hydroxide	No data
	Methyl Oximino Silane	No data
	Polydimethylsiloxane	No data

terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
	Reproductive toxicity	
	Amorphous, fumed silica	No data
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-Aluminium hydroxide	NOAEL=500 mg/kg bw/day
	Methyl Oximino Silane	No data
	Polydimethylsiloxane	No data
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
	Specific target organ toxicity (single exposure)	
	Amorphous, fumed silica	Short-term exposure may cause respiratory irritation.
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-Aluminium hydroxide	No data
	Methyl Oximino Silane	No data
	Polydimethylsiloxane	No data
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
	Specific target organ toxicity (repeated exposure)	
	Amorphous, fumed silica	After two years of long-term application, evidence for reversible effects in this material could not be explained, and at high doses, there was only a slight increase in tissue weight or growth delay from time to time. – showed normal lung reaction.
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-Aluminium hydroxide	Rat:NOEAL 500mg/kg,0, 25, 125, and 500 mg/kg/day, Exposure period 28 days No effect.
	Methyl Oximino Silane	No data
	Polydimethylsiloxane	No data
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
	Inhalation hazard	
	Amorphous, fumed silica	No data
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-Aluminium hydroxide	No data
	Methyl Oximino Silane	No data
	Polydimethylsiloxane	No data
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data

12. ECOLOGICAL INFORMATION

12.1. Ecotoxicity

	Fish	
	Amorphous, fumed silica	No data
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-Aluminium hydroxide	LC50 200 mg/l 96 hr <i>Lepomis macrochirus</i>
	Methyl Oximino Silane	LC50 0.00000975 mg/l 96 hr etc
	Polydimethylsiloxane	LC50 37.79 mg/l 96 hr <i>Lepomis macrochirus</i>
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
	Shellfish	
	Amorphous, fumed silica	No data
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-Aluminium hydroxide	EC50 90 mg/l 48 hr <i>Daphnia magna</i>
	Methyl Oximino Silane	LC50 22 mg/l 96 hr etc (<i>Gammarus</i> sp., Exponential)
	Polydimethylsiloxane	LC50 0.0000179 mg/l 48 hr etc
terminated	Siloxanes and Silicones, di-Me, hydroxy-	LC50 44.5 mg/l 48 hr <i>Daphnia magna</i>
	Algae	No data
	Amorphous, fumed silica	No data
aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-Aluminium hydroxide	ErC50 8.8 mg/l 72 hr <i>Selenastrum capricornutum</i>
	Methyl Oximino Silane	ErC50 0.0455 ~ 0.6999 mg/l 72 hr etc (<i>Pseudokirchneriella subcapitata</i> Exponential(OECD Guideline 201))
	Polydimethylsiloxane	ErC50 0.0000176 mg/l 96 hr etc
		No data

terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
12.2. Persistence and degradability		
Persistence		
	Amorphous, fumed silica	No data
	N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	log Kow -1.67 ((Estimate))
	Aluminium hydroxide	log Kow -0.5304
	Methyl Oximino Silane	(Not applicable)
	Polydimethylsiloxane	No data
	Siloxanes and Silicones, di-Me, hydroxy-	log Kow 2.43
terminated	degradability	
	Amorphous, fumed silica	No data
	N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	No data
	Aluminium hydroxide	No data
	Methyl Oximino Silane	(No data)
	Polydimethylsiloxane	No data
	Siloxanes and Silicones, di-Me, hydroxy-	No data
terminated	12.3. Bioaccumulation	
Enrichment		
	Amorphous, fumed silica	No data
	N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	No data
	Aluminium hydroxide	BCF 3.162
	Methyl Oximino Silane	BCF 8.49
	Polydimethylsiloxane	No data
	Siloxanes and Silicones, di-Me, hydroxy-	BCF 14.77
terminated	Biodegradability	
	Amorphous, fumed silica	No data
	N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	39 (%) 28 day
	Aluminium hydroxide	No data
	Methyl Oximino Silane	No data
	Polydimethylsiloxane	No data
	Siloxanes and Silicones, di-Me, hydroxy-	No data
terminated	12.4. Soil mobility	
	Amorphous, fumed silica	No data
	N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	No data
	Aluminium hydroxide	No data
	Methyl Oximino Silane	No data
	Polydimethylsiloxane	No data
	Siloxanes and Silicones, di-Me, hydroxy-	No data
terminated	12.5. Other harmful effects	
	Amorphous, fumed silica	No data
	N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	Underwater stability Half hour Less than 1 hour
	Aluminium hydroxide	Fish (Pimephales promelas), NOEC (7d) = 1 156.5 µg / L, ring formula (EPA 2002, GLP) Crustacean (Ceriodaphnia dubia), EC50 (7d) = 250 µg / L, Ring formula (USEPA 2002) (Pseudokirchneriella subcapitata), NOErC (72h) ≥ 4 µg / L, exponential (OECD Guideline 201, GLP)
	Methyl Oximino Silane	No data
	Polydimethylsiloxane	No data
	Siloxanes and Silicones, di-Me, hydroxy-	No data
terminated		
13. DISPOSAL CONSIDERATIONS		
13.1 Disposal method		Dispose of contents and container in accordance with local regulations.
13.2 Disposal considerations		Dispose of contents and container in accordance with local regulations.
14. TRANSPORT INFORMATION		
14.1 UN Number (UN No.)		UN transport hazard classification not available
14.2. UN proper shipping name		Not applicable
14.3. Transport hazard class(es)		Not applicable

14.4. Packing group	Not applicable
14.5. Environmental hazards	No data
14.6 Special safety measures that the user needs or needs to know about transportation or transportation	
Emergency measures in case of fire	Not applicable
Emergency Action	Not applicable
14.7 Other International Transportation Regulations	
Air Transport (IATA–DGR)	Not subject to IATA regulations.

15. REGULATORY INFORMATION

15.1 Regulation by the Industrial Safety and Health Act	
Aluminium hydroxide	Toxic substances to be managed
Aluminium hydroxide	Working environment Measured material (measurement cycle: 6 months)
Aluminium hydroxide	Special medical examination subject substance (diagnosis period: 12 months)
15.2 Regulation by Chemical Substance Control Act	No data
15.3 Regulation under dangerous goods safety management law	No data
15.4 Regulation by waste management law	Designated waste
15.5 Other domestic and foreign regulations	
Domestic regulation	
Residual Organic Pollutant Control Act	Not available
Foreign regulation	
OSHA regulations	Not applicable
CERCLA regulations	Not applicable
US Administration Information(EPCRA 302 regulations)	Not applicable
US Administration Information(EPCRA 304 regulations)	Not applicable
US Administration Information(EPCRA 313 regulations)	Not applicable
US Administration Information(Rotterdam Convention material)	Not applicable
US Administration Information(Stockholm Convention substance)	Not applicable
US Administration Information(Montreal Protocol substance)	Not applicable
EU Classification information(Confirmed classification result)	Not applicable
EU Classification information(Danger phrases)	Not applicable
EU Classification information(Safety phrases)	Not applicable

16. OTHER INFORMATION

16.1 Source of material	
Amorphous, fumed silica	
Corporate Solution From Thomson Micromedex(http://csi.micromedex.com)(Information on possible routes of exposure)	
Seton compliance resource center(http://www.setonresourcecenter.com)(Information on possible routes of exposure)	
OECD Screening Information Data Set(http://cs3-hq.oecd.org/scripts/hpv/)(Oral)	
OECD Screening Information Data Set(http://cs3-hq.oecd.org/scripts/hpv/)(Skin corrosive or irritant)	
OECD Screening Information Data Set(http://cs3-hq.oecd.org/scripts/hpv/)(Severe eye damage or irritation)	
OECD Screening Information Data Set(http://cs3-hq.oecd.org/scripts/hpv/)(Skin sensitization)	
International Uniform Chemical Information Database(IUCLID)(http://ecb.jrc.it/esis/)(Germ cell mutagenicity)	
OECD SIDS(http://www.chem.unep.ch/irptc/sids/OECDIDS/silicates.pdf)(Specific target organ toxicity (single exposure))	
International Programme on Chemical Safety(IPCS INCHEM)(http://www.inchem.org/)(Specific target organ toxicity (repeated exposure))	
OECD Screening Information Data Set(http://cs3-hq.oecd.org/scripts/hpv/)(Specific target organ toxicity (repeated exposure))	
OECD Screening Information Data Set(http://cs3-hq.oecd.org/scripts/hpv/)(Recommended use of the product)	
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	
OECD 401, EEC 67/548 1967)–79/831, OECD SIDS(Oral)	
OECD SIDS(Percutaneous)	

OECD TG 404 ,OECD SIDS(Skin corrosive or irritant)
 OECD TG 405 OECD SIDS(Severe eye damage or irritation)
 OECD TG406, OECD SIDS (1992)(Skin sensitization)
 EPA Health Effect Test Guidelines, EPA Report 560/6-83-001, OECD SIDS(Germ cell mutagenicity)
 EPA Health Effects Test Guidelines, OEC SIDS(Germ cell mutagenicity)
 OECD TG 471, Directive 84/449/EEC(Germ cell mutagenicity)
 OECD TG 422, OECD SIDS(Reproductive toxicity)
 OECD TG 422: US EPA Guideline OPPTS 870.3650, OECD SIDS(Specific target organ toxicity (repeated exposure))
 Static,EPA-660/3-75-009,SIDS(fish)
 Static,OECD Guide-line 202,SIDS(shellfish)
 OECD Guide-line 201,SIDS(Algae)
 OECD SIDS(Biodegradable)

Aluminium hydroxide
 EPIWIN(Enrichment)
 NITE, HSDB

Methyl Oximino Silane
 ECOSAR(fish)
 ECOSAR(shellfish)
 ECOSAR(Algae)
 EPIWIN(Enrichment)

Polydimethylsiloxane
 National Library of Medicine(NLM)(<http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?CHEM>)(Oral)
 National Library of Medicine(NLM)(<http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?CHEM>)(Percutaneous)
 Corporate Solution From Thomson Micromedex(<http://csi.micromedex.com>)(Severe eye damage or irritation)
 The ECOTOXicology database (ECOTOX)(http://cfpub.epa.gov/ECOTOX/quick_query.htm)(Fish)
 The ECOTOXicology database (ECOTOX)(http://cfpub.epa.gov/ECOTOX/quick_query.htm)(shellfish)
 The Chemical Database, The Department of Chemistry at the University of Akron(<http://ull.chemistry.uakron.edu/erd>)
 Corporate Solution From Thomson Micromedex(<http://csi.micromedex.com>)(Oral)
 Corporate Solution From Thomson Micromedex(<http://csi.micromedex.com>)(Percutaneous)
 Quantitative Structure Activity Relation(QSAR)(residual)
 Quantitative Structure Activity Relation(QSAR)(Enrichment)

16.2 Date First	2012-09-24
16.3 Revision number and date	
Revision number	4 time
Revision Date	2018-01-08
16.4 Etc.	

○ The MSDS (Material Safty Data Sheet) is edited or partially corrected by referring to the MSDS provided by KOSHA (Korea Occupational Safty and Health Agency)