

Material Safty Data Sheet

Product

BIO 500

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product Name	BIO 500
1.2 Recommended use of the chemical and restrictions on use	
Recommended use of the product	Silicone sealant
Restrictions on use of the product	No data
1.3 Company information	
Company Name	DAEHEUNG CHEMICAL CO., LTD.
Address	52, Sandan-ro15beon-gil,Pyeongtaeksi,Gyeonggi-do
Emergency telephone number	+82-31-663-5251

2. HAZARD IDENTIFICATION

2.1 Hazard, Risk classification Skin sensitization: Category 1

2.2 GHS label elements

Symbol



Signal word

Waring

Harmful Risk phrases

H317 May cause an allergic skin reaction.

Precautions

P261 Do not breathe dust/fume/gas/mist/vapours/spray.

Prevention

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Corresponding

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention

P362+P364 Take off contaminated clothing and wash it before reuse.

Storage

Not available

Disposal

P501 Dispose of contents and container in accordance with local regulations.

Amorphous, fumed silica

Health 0

Fire 1

Reactivity 0

N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane

Health 3

Fire 1

Reactivity 1

Methyl Oximino Silane

Health 1

Fire 2

Reactivity 1

Polydimethylsiloxane

Health 1

Fire 1

Reactivity 0

Siloxanes and Silicones, di-Me, hydroxy-terminated

Health 1

Fire 2

Reactivity 0

3. COMPOSITION / INFORMATION ON INGREDIENTS

Name	Comon Name	CAS No	Contents(%)
Amorphous, fumed silica	Amorphous, fumed silica	112945-52-5	5 ~ 10
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	N-(3-Trimethoxysilylpropyl)ethylenediamine	1760-24-3	0.1 ~ 1
Methyl Oximino Silane	(METHYLTRI(2-BUTANONEOXIMYL)SILANE);	22984-54-9	1 ~ 5
Polydimethylsiloxane	DIMETHYLPOLYSILOXANE/WATER EMULSIONS	63148-62-9	20 ~ 30
Siloxanes and Silicones, di-Me, hydroxy-terminated	DIMETHYL POLYSILOXANE	70131-67-8	60 ~ 70

4. FIRST AID MEASURES

- 4.1 Eye contact
Get emergency medical attention.
Rinse skin and eyes immediately with plenty of water for at least 20 minutes when in contact with the material.
- 4.2 In case of skin contact
If skin irritation or rash occurs, seek medical advice and advice.
Wash contaminated clothing before reuse.
In the case of hot materials, immerse or wash affected areas in a large amount of cold water to remove heat
Get emergency medical attention.
Remove contaminated clothing and shoes and isolate contaminated areas.
Rinse skin and eyes immediately with plenty of water for at least 20 minutes when in contact with the material.
Prevent spread of contamination on mild skin contact
- 4.3 Inhalation
Move to a place with fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Please warm and stabilize.
- 4.4 Ingestion
Get emergency medical attention.
- 4.5 Other precautions
Have the health care worker know about the material and take protective measures

5. FIRE FIGHTING MEASURES

- 5.1. Extinguishing media
Suitable extinguishing media
Use alcohol foam, carbon dioxide or water spray for digestion related to this material.
Use dry sand or earth for digestion.
- 5.2. Special hazards arising from the substance or mixture
Hazardous combustion products
Container may explode on heating
Some are burned but not easily ignited
Non-flammable, the substance itself is not burned but decomposes on heating and may cause corrosive / toxic fumes
May cause irritating, corrosive and toxic gases in case of fire
- 5.3. Advice for firefighters
Rescuers should wear appropriate protective equipment.
Extinguish the area and maintain safety distance.
Move container from fire area if it is not hazardous.
In case of tank fire, extinguish at maximum distance or use unmanned fire fighting equipment
Do not let water get inside the container.
Cool containers with large amounts of water even after the fire has extinguished.
In the event of a tank fire, if there is a high tone in the pressure relief device or if the tank is discolored, immediately withdraw it
Tanks Fires in a fire.
- 5.3. Advice for firefighters
Some can be transported at high temperatures
Leaky water may cause contamination.
Contact may cause skin and eye burns.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, protective equipment and emergency procedures	Remove all ignition sources as very fine particles may cause fire or explosion. Wipe off any spills immediately and follow all protective precautions. Remove all ignition sources. Stop the leak if it is not dangerous. Do not touch a damaged container or spill without adequate protection. Cover with plastic sheet to prevent diffusion Note the substances and conditions to avoid
6.2. Environmental precautions	Prevent entry into waterways, sewers, basements, and confined spaces.
6.3. Methods and material for containment and cleaning up	Absorb spillage with inert materials (eg dry sand or earth) and place in a chemical waste container. Absorb liquid and rinse contaminated area with detergent and water..

7. HANDLING AND STORAGE

7.1. Precautions for safe handling	Avoid inhalation.(Dust, fume, gas, mist, steam, spray) Do not carry contaminated clothing out of the workplace. Follow all MSDS / label precautions as product residues may remain after emptying containers. Avoid prolonged or repeated skin contact. Note the substances and conditions to avoid Refer to engineering controls and personal protective equipment.
7.2 Safe storage	The empty drum should be completely drained, properly blocked and immediately returned to the drum regulator or properly positioned.

8. EXPOSURECONTROLS & PERSONAL PROTECTION

8.1. Exposure standards for chemicals, biological exposure standards, etc.	
Domestic regulation	No data
ACGIH regulation	No data
Biological exposure standard	No data
8.2 Personal protective equipment	
Respiratory protection	Wear a respirator that has been approved by the Korean Occupational Safety and Health Administration in accordance with the physicochemical properties of the substance being exposed.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Appearance	
Physical Form	Paste
Color	Transparency, White
9.2 Odor	Oxime
9.3 Odor threshold	No data
9.4 pH	No data
9.5 Melting point / freezing point	No data
9.6 Boiling point	No data
9.7 Flash point	No data
9.8 Evaporation Rate	No data
9.9 Flammability (solid, gas)	No data
9.10 Upper/lower flammability or explosive limits	No data
9.11 Vapor Pressure	No data
9.12 Solubility	No data
9.13 Vapor Density	No data
9.14 Specific gravity	1.02 ~ 1.05
9.15 N-octanol/water partition coefficient	No data
9.16 Autoignition temperature	No data
9.17 Decomposition Temperature	No data
9.18 Viscosity	Paste
9.19 Molecular weight	No data

10. STABILITY AND REACTIVITY

10.1 Possibility of chemical stability and adverse reaction

Amorphous, fumed silica	Container may explode on heating Some are burned but not easily ignited Non-flammable, the substance itself is not burned but decomposes on heating and may cause corrosive / toxic fumes May cause irritating, corrosive and toxic gases in case of fire
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	No data
Methyl Oximino Silane	Polymerization: not polymerized Reactivity: Contact with water or moist air may form flammable and / or toxic gases and vapors. Stable at normal temperature and pressure Container may explode on heating
Polydimethylsiloxane	Some are burned but not easily ignited May cause irritation and poisonous gas in case of fire Inhalation of the substance may be harmful Some fluids may cause dizziness, suffocation-inducing vapors Stable at normal temperature and pressure Container may explode on heating
Siloxanes and Silicones, di-Me, hydroxy-terminated	Some are burned but not easily ignited May cause irritation and poisonous gas in case of fire Inhalation of the substance may be harmful Some fluids may cause dizziness, suffocation-inducing vapors

10.2 Conditions to avoid

Amorphous, fumed silica	Heat source, spark, flame, etc.
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	No data
Methyl Oximino Silane	Avoid heat, flames, sparks and other sources of ignition. Containers may rupture or explode if exposed to heat. Keep away from waterworks and sewers.
Polydimethylsiloxane	Heat source, spark, flame, etc.
Siloxanes and Silicones, di-Me, hydroxy-terminated	Heat source, spark, flame, etc.

10.3 Substances to avoid

Amorphous, fumed silica	Combustible materials, reducing materials
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	No data
Methyl Oximino Silane	Oxidant
Polydimethylsiloxane	Combustible material, Irritant, toxic gas
Siloxanes and Silicones, di-Me, hydroxy-terminated	Combustible material, Irritant, toxic gas

10.4 Hazardous materials generated during decomposition

Amorphous, fumed silica	Corrosive / toxic fume, Irritating, corrosive, toxic gas
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	During burning, pyrolysis or combustion can produce irritating and highly toxic gases.
Methyl Oximino Silane	No data
Polydimethylsiloxane	No data
Siloxanes and Silicones, di-Me, hydroxy-terminated	No data

11. TOXICOLOGICAL INFORMATION

11.1. Information about possible routes of exposure

Amorphous, fumed silica	Exposure to respiration can cause pneumoconiosis in large quantities of inhalation May cause nausea, vomiting and diarrhea by stimulating the stomach. Exposed to skin contact Exposed by eye contact
-------------------------	--

N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	Respiratory tract burns, allergic reactions Mucosa burn Skin burns, allergic reactions Snow burn
Methyl Oximino Silane	No data Can absorb body by inhalation Can be absorbed by inhalation and extinguisher
Polydimethylsiloxane	Through skin, digestive system, can absorb body by inhalation of aerosol Absorption of body by inhalation of steam Can be absorbed by inhalation, skin and digestive system Can absorb body by inhalation Can be absorbed by inhalation and extinguisher
Siloxanes and Silicones, di-Me, hydroxy-terminated	Through skin, digestive system, can absorb body by inhalation of aerosol Absorption of body by inhalation of steam Can be absorbed by inhalation, skin and digestive system
11.2 Health hazard information	
Acute toxicity	
Oral	
Amorphous, fumed silica	LD50 > 3100 mg/kg Rat
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	LD50 2400 mg/kg Rat
Methyl Oximino Silane	(No data)
Polydimethylsiloxane	LD50 > 17000 mg/kg Rat
Siloxanes and Silicones, di-Me, hydroxy-terminated	LD50 > 64 mg/kg Rat (Labor Department 3)
Percutaneous	
Amorphous, fumed silica	No data
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	LD50 16000 mg/kg Rabbit
Methyl Oximino Silane	(No data)
Polydimethylsiloxane	LD50 > 2000 mg/kg Rabbit
Siloxanes and Silicones, di-Me, hydroxy-terminated	LD50 > 16 mg/kg Rabbit (Labor Department 1)
Inhalation	
Skin corrosive or irritant	
Amorphous, fumed silica	No skin irritation reported
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	No irritation: 24, 48, 72 hours after erythema score less than 1.5
Methyl Oximino Silane	No data
Polydimethylsiloxane	No data
Siloxanes and Silicones, di-Me, hydroxy-terminated	No data
Severe eye damage or irritation	
Amorphous, fumed silica	No eye irritation reported
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	With stimulation: average observed (24 + 48 + 72 hrs) chemosis 3.0, enanthema 2.5, congestion 1.0, opacity 2.0
Methyl Oximino Silane	No data
Polydimethylsiloxane	Eye Standard dose test Rabbit amount: 100 mg / 1H; Reaction: Mild (light stimulus)
Siloxanes and Silicones, di-Me, hydroxy-terminated	No data
Respiratory sensitization	
Skin sensitization	
Amorphous, fumed silica	No skin sensitization reported in humans
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	Sensitive
Methyl Oximino Silane	No data
Polydimethylsiloxane	No data
Siloxanes and Silicones, di-Me, hydroxy-terminated	No data
Carcinogenicity	
Industrial Safety and Health Act	No data
Notice of Ministry of Employment and Labor	No data
IARC	
Amorphous, fumed silica	Group 3 (Silica, amorphous)
OSHA	No data
ACGIH	No data
NTP	No data
EU CLP	No data

Germ cell mutagenicity		
	Amorphous, fumed silica	In vivo / In vitro tests There was no evidence that this substance caused mutations in any of the tests. – Genotoxicity effects do not occur when exposed to this material.
	N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	Return mutation test: negative concentration > 5000 ug / plate HGPRT assay: negative CHO cells: S9-: 0.1–4.0 mg / ml, S9 +: 2.0–5.0 mg / ml Sister exchange chromosomal aberration test: negative, CHO cells: 1.5 to 4.0 mg / ml without S9 activation; 1.0 to 3.5 mg / ml with S9 activation Micronucleus Test: Negative Mouse (Swiss webster): 87.5, 175, and 280 mg / kg
	Methyl Oximino Silane	No data
	Polydimethylsiloxane	No data
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
	Reproductive toxicity	
	Amorphous, fumed silica	No data
	N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	NOAEL=500 mg/kg bw/day
	Methyl Oximino Silane	No data
	Polydimethylsiloxane	No data
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
	Specific target organ toxicity (single exposure)	
	Amorphous, fumed silica	Short-term exposure may cause respiratory irritation.
	N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	No data
	Methyl Oximino Silane	No data
	Polydimethylsiloxane	No data
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
	Specific target organ toxicity (repeated exposure)	
	Amorphous, fumed silica	After two years of long-term application, evidence for reversible effects in this material could not be explained, and at high doses, there was only a slight increase in tissue weight or growth delay from time to time. – showed normal lung reaction.
	N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	Rat:NOEAL 500mg/kg,0, 25, 125, and 500 mg/kg/day, Exposure period 28 days No effect.
	Methyl Oximino Silane	No data
	Polydimethylsiloxane	No data
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
	Inhalation hazard	
	Amorphous, fumed silica	No data
	N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	No data
	Methyl Oximino Silane	No data
	Polydimethylsiloxane	No data
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data

12. ECOLOGICAL INFORMATION

12.1. Ecotoxicity

	Fish	
	Amorphous, fumed silica	No data
	N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	LC50 200 mg/l 96 hr Lepomis macrochirus
	Methyl Oximino Silane	LC50 0.00000975 mg/l 96 hr etc
	Polydimethylsiloxane	LC50 37.79 mg/l 96 hr Lepomis macrochirus
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
	Shellfish	
	Amorphous, fumed silica	No data
	N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	EC50 90 mg/l 48 hr Daphnia magna
	Methyl Oximino Silane	LC50 0.0000179 mg/l 48 hr etc
	Polydimethylsiloxane	LC50 44.5 mg/l 48 hr Daphnia magna
terminated	Siloxanes and Silicones, di-Me, hydroxy-	No data
	Algae	
	Amorphous, fumed silica	No data
	N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	ErC50 8.8 mg/l 72 hr Selenastrum capricornutum

Methyl Oximino Silane	EC50 0.0000176 mg/l 96 hr etc
Polydimethylsiloxane	No data
Siloxanes and Silicones, di-Me, hydroxy-terminated	No data

12.2. Persistence and degradability

Persistence

Amorphous, fumed silica	No data
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	log Kow -1.67 ((Estimate))
Methyl Oximino Silane	(Not applicable)
Polydimethylsiloxane	No data
Siloxanes and Silicones, di-Me, hydroxy-terminated	log Kow 2.43

degradability

Amorphous, fumed silica	No data
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	No data
Methyl Oximino Silane	(No data)
Polydimethylsiloxane	No data
Siloxanes and Silicones, di-Me, hydroxy-terminated	No data

12.3. Bioaccumulation

Enrichment

Amorphous, fumed silica	No data
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	No data
Methyl Oximino Silane	BCF 8.49
Polydimethylsiloxane	No data
Siloxanes and Silicones, di-Me, hydroxy-terminated	BCF 14.77

Biodegradability

Amorphous, fumed silica	No data
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	39 (%) 28 day
Methyl Oximino Silane	No data
Polydimethylsiloxane	No data
Siloxanes and Silicones, di-Me, hydroxy-terminated	No data

12.4. Soil mobility

Amorphous, fumed silica	No data
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	No data
Methyl Oximino Silane	No data
Polydimethylsiloxane	No data
Siloxanes and Silicones, di-Me, hydroxy-terminated	No data

12.5. Other harmful effects

Amorphous, fumed silica	No data
N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	Underwater stability Half hour Less than 1 hour
Methyl Oximino Silane	No data
Polydimethylsiloxane	No data
Siloxanes and Silicones, di-Me, hydroxy-terminated	No data

13. DISPOSAL CONSIDERATIONS

13.1 Disposal method	Dispose of contents and container in accordance with local regulations.
13.2 Disposal considerations	Dispose of contents and container in accordance with local regulations.

14. TRANSPORT INFORMATION

14.1 UN Number (UN No.)	UN transport hazard classification not available
14.2. UN proper shipping name	Not applicable
14.3. Transport hazard class(es)	Not applicable
14.4. Packing group	Not applicable
14.5. Environmental hazards	No data
14.6 Special safety measures that the user needs or needs to know about transportation or transportation	
Emergency measures in case of fire	Not applicable
Emergency Action	Not applicable

14.7 Other International Transportation Regulations

Air Transport (IATA–DGR) Not subject to IATA regulations.

15. REGULATORY INFORMATION

15.1 Regulation by the Industrial Safety and Health Act	No data
15.2 Regulation by Chemical Substance Control Act	No data
15.3 Regulation under dangerous goods safety management law	No data
15.4 Regulation by waste management law	Designated waste
15.5 Other domestic and foreign regulations	
Domestic regulation	
Residual Organic Pollutant Control Act	Not available
Foreign regulation	
OSHA regulations	Not applicable
CERCLA regulations	Not applicable
US Administration Information	
EPCRA 302 regulations	Not applicable
EPCRA 304 regulations	Not applicable
EPCRA 313 regulations	Not applicable
Rotterdam Convention material	Not applicable
Stockholm Convention substance	Not applicable
Montreal Protocol substance	Not applicable
EU Classification information	
Confirmed classification result	Not applicable
Danger phrases	Not applicable
Safety phrases	Not applicable

16. OTHER INFORMATION

16.1 Source of material

Amorphous, fumed silica

Corporate Solution From Thomson Micromedex(<http://csi.micromedex.com>)(Information on possible routes of exposure)

Seton compliance resource center(<http://www.setonresourcecenter.com>)(Information on possible routes of exposure)

OECD Screening Information Data Set(<http://cs3-hq.oecd.org/scripts/hpv/>)(Oral)

OECD Screening Information Data Set(<http://cs3-hq.oecd.org/scripts/hpv/>)(Skin corrosive or irritant)

OECD Screening Information Data Set(<http://cs3-hq.oecd.org/scripts/hpv/>)(Severe eye damage or irritation)

OECD Screening Information Data Set(<http://cs3-hq.oecd.org/scripts/hpv/>)(Skin sensitization)

International Uniform Chemical Information Database(IUCLID)(<http://ecb.jrc.it/esis>)(Germ cell mutagenicity)

OECD SIDS(<http://www.chem.unep.ch/irptc/sids/OECD/SIDS/silicates.pdf>)(Specific target organ toxicity (single exposure))

International Programme on Chemical Safety(IPCS INCHEM)(<http://www.inchem.org/>)(Specific target organ toxicity (repeated exposure))

OECD Screening Information Data Set(<http://cs3-hq.oecd.org/scripts/hpv/>)(Specific target organ toxicity (repeated exposure))

OECD Screening Information Data Set(<http://cs3-hq.oecd.org/scripts/hpv/>)(Recommended use of the product)

N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane

OECD 401, EEC 67/548 1967)-79/831, OECD SIDS(Oral)

OECD SIDS(Percutaneous)

OECD TG 404 ,OECD SIDS(Skin corrosive or irritant)

OECD TG 405 OECD SIDS(Severe eye damage or irritation)

OECD TG406, OECD SIDS (1992)(Skin sensitization)

EPA Health Effect Test Guidelines, EPA Report 560/6-83-001, OECD SIDS(Germ cell mutagenicity)

EPA Health Effects Test Guidelines, OEC SIDS(Germ cell mutagenicity)

OECD TG 471, Directive 84/449/EEC(Germ cell mutagenicity)

OECD TG 422, OECD SIDS(Reproductive toxicity)

OECD TG 422: US EPA Guideline OPPTS 870.3650, OECD SIDS(Specific target organ toxicity (repeated exposure))

Static,EPA-660/3-75-009,SIDS(fish)

Static,OECD Guide-line 202,SIDS(shellfish)

OECD Guide-line 201,SIDS(Algae)

OECD SIDS(Biodegradable)

Methyl Oximino Silane

ECOSAR(fish)

ECOSAR(shellfish)

ECOSAR(Algae)

EPIWIN(Enrichment)

Polydimethylsiloxane

National Library of Medicine(NLM)(<http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?CHEM>)(Oral)

National Library of Medicine(NLM)(<http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?CHEM>)(Percutaneous)

Corporate Solution From Thomson Micromedex(<http://csi.micromedex.com>)(Severe eye damage or irritation)

The ECOTOXicology database (ECOTOX)(http://cfpub.epa.gov/ECOTOX/quick_query.htm)(fish)

The ECOTOXicology database (ECOTOX)(http://cfpub.epa.gov/ECOTOX/quick_query.htm)(shellfish)

The Chemical Database, The Department of Chemistry at the University of Akron(<http://ull.chemistry.uakron.edu/erd>)

Siloxanes and Silicones, di-Me, hydroxy-terminated

Corporate Solution From Thomson Micromedex(<http://csi.micromedex.com>)(Oral)

Corporate Solution From Thomson Micromedex(<http://csi.micromedex.com>)(Percutaneous)

Quantitative Structure Activity Relation(QSAR)(residual)

Quantitative Structure Activity Relation(QSAR)(Enrichment)

16.2 Date First 2012-09-14

16.3 Revision number and date

Revision number 9 time

Revision Date 2020-01-15

16.4 Etc.

The MSDS (Material Safty Data Sheet) is edited or partially corrected by referring to the MSDS provided by KOSHA (Korea Occupational Safty and Health Agency)